Table Q Homologous Series Of Hydrocarbons

1	Which	formula	represents	an	organic	compound?	
---	-------	---------	------------	----	---------	-----------	--

(1) CaH_2	(3) H_2O_2
(2) $C_4 H_8$	(4) P_2O_5

2 Which compound is classified as a hydrocarbon?

(1) butanal	(3) 2-butanol

(2) butyne (4) 2-butanone

3 Which condensed structural formula represents an unsaturated compound?

(1) CH ₃ CHCHCH ₃	$(3) CH_3 CH_3$
$(2) CH_3 CH_2 CH_3$	(4) CH ₄

4 Which formula represents an unsaturated hydrocarbon?

(1) $C_2 H_4$	(3) $C_4 H_{10}$
(2) $C_3 H_8$	(4) $C_5 H_{12}$

5 Which formula represents an unsaturated hydrocarbon?

(1) CH ₄	(3) C_3H_8
(2) C_2H_4	(4) $C_4 H_{10}$

6 Given the formula representing a compound:



What is a chemical name of this compound?

(1) 2-pentene	(3) 3-pentene
---------------	---------------

- (2) 2-pentyne (4) 3-pentyne
- 7 Hydrocarbons are composed of the elements(1) carbon and hydrogen, only
 - (2) carbon and oxygen, only
 - (3) carbon, hydrogen, and oxygen
 - (4) carbon, nitrogen, and oxygen
- 8 What is the name of the compound with the formula CH₃CH₂CH₂NH₂?
 - (1) 1-propanol (3) propanal
 - (2) 1-propanamine (4) propanamide
- 9 A molecule of any organic compound has at least one

(1) ionic bond	(3) oxygen atom
(2) double bond	(4) carbon atom

Base your answers to questions 10 on the information below.

The equation below represents the reaction between 1-butene and bromine to form the compound 1,2-dibromobutane, $C_4H_8Br_2$.



10 Explain, in terms of bonding, why the hydrocarbon reactant is an unsaturated hydrocarbon.

Base your answers to questions 11 on the information below and on your knowledge of chemistry.

Natural gas and coal are two fuels burned to produce energy. Natural gas consists of approximately 80% methane, 10% ethane, 4% propane, 2% butane, and other components.

The burning of coal usually produces sulfur dioxide, $SO_2(g)$, and sulfur trioxide, $SO_3(g)$, which are major air pollutants. Both $SO_2(g)$ and $SO_3(g)$ react with water in the air to form acids.

11 Write the general formula for the homologous series that includes the components of the natural gas listed in this passage.

Base your answers to questions 12 on the information below and on your knowledge of chemistry.

Crude oil, primarily a mixture of hydrocarbons, is separated into useful components in a fractionating tower. At the bottom of the tower, the crude oil is heated to about 400°C. The gases formed rise and cool. Most of the gases condense and are collected as liquid fractions. The table below shows the temperature ranges for collecting various hydrocarbon fractions.

Number of Carbon Atoms per Molecule	Temperature Range (°C)
1-4	below 40
5-12	40-200
12-16	200-300
16-20	300-370
>20	above 370

Hydrocarbon Fractions Collected

12 Determine the number of carbon atoms in one molecule of an alkane that has 22 hydrogen atoms in the molecule.

Base your answers to questions 13 on the information below and on your knowledge of chemistry.

The formulas for two compounds are shown below.



13 Explain, in terms of bonding, why compound A is saturated.

Base your answers to questions 14 on the information below and on your knowledge of chemistry.

- A test tube contains a sample of solid stearic acid, an organic acid.
- Both the sample and the test tube have a temperature of 22.0°C.
- The stearic acid melts after the test tube is placed in a beaker with 320. grams of water at 98.0°C.
- The temperature of the liquid stearic acid and water in the beaker reaches 74.0°C.

14 Identify the element in stearic acid that makes it an organic compound.

Base your answers to questions 15 on the information below and on your knowledge of chemistry.

Fruit growers in Florida protect oranges when the temperature is near freezing by spraying water on them. It is the freezing of the water that protects the oranges from frost damage. When $H_2O(\ell)$ at 0°C changes to $H_2O(s)$ at 0°C, heat energy is released. This energy helps to prevent the temperature inside the orange from dropping below freezing, which could damage the fruit. After harvesting, oranges can be exposed to ethene gas, C_2H_4 , to improve their color.

15 Write the empirical formula for ethene.

Answer Keys

- 1 2
- 2 2
- 3 1
- 4 1
- 5 2
- 6 1
- 7 1
- 8 2
- 0.4
- 94
- 10 Allow 1 credit. Acceptable responses include, but are not limited to:
 - Each reactant hydrocarbon molecule has a double carbon-carbon bond.
 - There is a multiple carbon-carbon bond in each molecule.
 - More hydrogen atoms can be bonded with this hydrocarbon.
- 11 Allow 1 credit for C_nH_{2n+2} .
- 12 Allow 1 credit for 10 or ten.
- 13 Allow 1 credit. Acceptable responses include, but are not limited to:
 - All the carbon-to-carbon bonds are single bonds.
 - The maximum number of H atoms are bonded to the carbon chain.
 - There are no multiple bonds.
- 14 Allow 1 credit for C or carbon.
- 15 Allow 1 credit for CH_2 . The order of the elements may vary.